

# RHEINZINK®

RHEINZINK® - ROOF DRAINAGE SYSTEM

GUTTERS, DOWNPIPES AND ACCESSORIES




**Half round gutter,**  
3 m length (other lengths available on request)




**Box gutter,**  
3 m length (other lengths available on request)



**Expansion joint**



**Half round corner,**  
external, 90°, deep-drawn from one piece



**Box corner,**  
internal, 90°, length 300 mm, soldered



**Round downpipe,**  
round, high-frequency welded, Europ. patent 0284141, 3 m (other lengths available on request)



**Box downpipe,**  
in 2 m length



**Anti Vandal downpipe,**  
DN 110 and 125, welded



**Plug-in gutter outlet,**  
half round, machine-welded, form G, straight (for rainwater pipe and conical angled pipe)



**Plug-in gutter outlet box gutter,**  
form G, straight



**RHEINZINK® – the trademark for quality in roof drainage**

RHEINZINK®-Design Drainage System offers a high quality of design, to suit all application options. They include aesthetic downpipes, gutters and the associated accessories.

In the blue-grey finish of RHEINZINK®-“preweathered<sup>pro</sup>”, all prefabricated parts and special designs are made of the same high-quality material.

The formation of a natural patina ensures that RHEINZINK®-Design Drainage Systems will fulfil their function for decades without any need for maintenance.


The material RHEINZINK® complies with the most stringent environmental standards; 100 % can be recycled.

RHEINZINK® has been declared to be a building material which is com-


patible with the environment by the independent committee by the Institute Construction and Environment after extensive evaluation of the entire life cycle of the product. RHEINZINK® prefabricated parts as per DIN EN 612 are manufactured of titanium zinc DIN EN 988 tested by the German TÜV inspection body according to the Quality Zinc Catalog of Criteria.



**Stop ends,**  
half round, box section



**Leafguard,**  
for half round gutter



**Gutter bracket and  
Round downpipe  
bracket**



**Snap-lock bracket system,**  
complying with  
DIN EN 1462



**Universal downpipe  
bracket,**  
with lightning protection  
attachment



**Round elbow,**  
85°, 72°, 60° and 40°



**Branch connector and  
Pipe reducer**



**Water butt connector**



**RHEINZINK®-Quality  
Characteristics**

A decision in favour of RHEINZINK® is always a decision in favour of quality. As an unmistakable sign of its origin, each RHEINZINK® component comes with very specific identification, which is stamped onto the product. The mark endorses the RHEINZINK quality for generations to come.

**Solid Values.**

Build with RHEINZINK, secure in the knowledge that you are acquiring lasting value.

In addition to its statutory liability, RHEINZINK offers a 30 year material guarantee. That provides reliability.




**Water diverter /  
Leaf collector,**  
with removable leaf  
screen



**Cover sleeve**





Key:

- 1 Half round gutter
- 2 Drip Edge
- 3 Leafguard
- 4 Gutter brackets/Snap-lock system
- 5 Stop end
- 6 Gutter corner
- 7 Plug-in gutter outlet
- 8 Pipe section
- 9 Elbow
- 10 Universal downpipe bracket with lightning protection attachment
- 11 Water butt connector
- 12 Patented high frequency-welded downpipe
- 13 Cover sleeve
- 14 Stand Pipe

The brochure was provided by: